

# Catalogue

## Company Introduction


## Section Drawing & Structure Drawing

60 Casement System (Thickness 2.0mm) .....	1
60H Casement System (Thickness 2.5mm).....	2
66/66H Casement System (Thickness 2.5mm).....	9
70M Casement System (Thickness 2.8mm) .....	13
80/80T Sliding System (Thickness 2.0mm / 2.2mm).....	15
88/60 Sliding System (Thickness 2.0mm) .....	20
88T/60T Sliding System (Thickness 2.2mm).....	20
109/60 Sliding System (Thickness 2.5mm) .....	21
Reinforcement Drawing.....	27
Window Calculation.....	29
I & E Value and Weight List.....	32


## Section Drawing




### 60 Casement System (Thickness 2.0mm)




frame  
JP-017  
1.00Kg/m




door frame  
JP-017-1  
1.13Kg/m




Z mullion  
JP-147  
1.01Kg/m




mullion  
JP-019  
1.02Kg/m




outward window sash  
JP-015  
1.15Kg/m



inward window sash  
JP-016  
1.08Kg/m



outward door sash  
JP-018  
1.50Kg/m




inward door sash  
JP-038  
1.45Kg/m

## Section Drawing



### 60H Casement System (Thickness 2.5mm)




### 60/60H Casement System GB


5mm glass	10mm glass	17mm glass	19mm glass	22mm glass
GB35mm JP-022-1 0.27Kg/m	GB31mm JP-021-1 0.24Kg/m	GB23mm JP-106 0.20Kg/m	GB20mm JP-023-1 0.195Kg/m	GB18mm JP-181 0.185Kg/m

## Section Drawing

### 60 Casement System Auxiliary Profiles




**coupling**  
JP-031-1  
0.11Kg/m




**coupling**  
JP-215  
0.25Kg/m




**frame GB**  
JP-196  
0.18Kg/m




**coupling**  
JP-090  
0.53Kg/m




**coupling**  
JP-049  
0.68Kg/m




**basic frame**  
JP-195  
0.81Kg/m




**coupling**  
JP-051  
0.68Kg/m




**coupling**  
JP-130  
1.30Kg/m




**coupling**  
JP-013  
0.62Kg/m



**float mullion**  
JP-046  
0.69Kg/m




**float mullion**  
JP-220  
0.94Kg/m




**float mullion**  
JP-220-1  
1.09Kg/m

## Section Drawing


### 60 System Joint Drawing




### Trans-system Joint Drawing



### Door Panel Profile




JP-020-1  
0.71Kg/m




JP-020-2  
0.85Kg/m


### Louver profiles




JP-017  
1.00Kg/m



JP-117  
0.28Kg/m





JP-118  
0.22Kg/m




## Structure Drawing



### 60 Casement System-Inward Window



A - A





B - B

## Structure Drawing




### 60 System-Outward Window



## Structure Drawing




### 60H Casement System-Outward Door



## Structure Drawing









### 60 Casement System-Inward Door






## Section Drawing

### 66 Casement System (Thickness 2.5mm)




### 66H Casement System (Thickness 2.5mm)



## Section Drawing


### 66/66H Casement System GB

36mm glass




GB10mm  
JP-139  
0.19Kg/m

36mm glass




GB10mm  
JP-140  
0.20Kg/m

22mm glass




GB25mm  
JP-166  
0.25Kg/m


### 66 System Auxiliary Profiles




coupling  
JP-031-1  
0.11Kg/m




coupling  
JP-167  
0.70Kg/m




coupling  
JP-214  
0.58Kg/m



coupling  
JP-163  
0.96Kg/m




coupling  
JP-219  
0.95Kg/m




glazing pad  
JP-138  
0.20Kg/m


### 66 System




JP-031-1



JP-167



JP-163





JP-214  
JP-219

## Structure Drawing



### 66 System - Inward Window




B - B

## Structure Drawing




### 66 System-Outward Door




## Section Drawing


### 70M Casement System (Thickness 2.8mm)




### 70M Casement System GB



### 70 System Auxiliary Profiles




### 70 System Joint Drawing



## Structure Drawing




### 70M System-Inward Window




## Section Drawing


### 80 Low Sliding System (Thickness 2.0mm)



frame  
JP-044  
1.10Kg/m




frame  
JP-102  
0.84Kg/m




sash  
JP-045-1  
0.69Kg/m


### 80 Sliding System (Thickness 2.0mm)




frame  
JP-111  
1.17Kg/m




plastic-track frame  
JP-230  
1.30Kg/m



sash  
JP-050-1  
0.72Kg/m




fixed frame  
JP-142  
1.01Kg/m




fixed mullion  
JP-143  
1.04Kg/m


### 80T Sliding System (Thickness 2.2mm)




frame  
JP-111T  
1.29Kg/m



sash  
JP-050-1T  
0.82Kg/m



fixed frame  
JP-142T  
1.06Kg/m



fixed mullion  
JP-143T  
1.11Kg/m

## Section Drawing

### 80/80T Sliding System GB

5mm glass



GB19mm  
JP-006  
0.19Kg/m

12mm glass



GB12mm  
JP-067  
0.155Kg/m

14mm glass




GB10mm  
JP-223  
0.145Kg/m

17mm glass




GB7mm  
JP-007  
0.13Kg/m


### 80 Sliding System Auxiliary Profiles




coupling  
JP-010  
0.35Kg/m




coupling  
JP-043  
0.80Kg/m




coupling  
JP-092  
0.78Kg/m




inter lock  
JP-061  
0.20Kg/m




sash joint  
JP-068  
0.225Kg/m




screen sash  
JP-089  
0.55Kg/m



screen sash  
JP-009-1  
0.48Kg/m




coupling  
JP-011  
0.92Kg/m




coupling  
JP-093-1  
0.85Kg/m


### 80 System Joint Drawing




JP-010



JP-011





JP-043



JP-092  
JP-093-1

## Structure Drawing



### 60 Low Sliding System



## Structure Drawing



### 80 Low Sliding System




B - B

## Structure Drawing




### 80 Sliding System




## Section Drawing


### 88/60 Sliding System (Thickness 2.0mm )




frame  
JP-202-1  
1.33Kg/m




fixed frame  
JP-203-1  
1.09Kg/m




fixed mullion  
JP-204-1  
1.17Kg/m




frame  
JP-032-1  
1.05Kg/m



door sash  
JP-034  
1.01Kg/m




window sash  
JP-033  
0.91Kg/m




intergrated frame mullion  
JP-298H  
1.30Kg/m


### 88T/60T Sliding System (Thickness 2.2mm )




frame  
JP-202-1T  
1.40Kg/m




fixed frame  
JP-203-1T  
1.18Kg/m



fixed mullion  
JP-204-1T  
1.27Kg/m



frame  
JP-221T  
1.03Kg/m




sash  
JP-222T  
0.90Kg/m


## Section Drawing




### 109/60 Sliding System (Thickness 2.5mm)




frame  
JP-246H  
1.72Kg/m



frame  
JP-221H  
1.07Kg/m



door sash  
JP-034H  
1.20Kg/m



door sash  
JP-331H  
1.31Kg/m

### 60/88/88T Sliding System GB

5mm glass



GB25mm  
JP-037  
0.21Kg/m

17mm glass



GB12mm  
JP-067  
0.155Kg/m

19mm glass




GB10mm  
JP-223  
0.145Kg/m

22mm glass




GB7mm  
JP-007  
0.13Kg/m


### 88 System Joint Drawing




JP-079



JP-060



JP-080




JP-121  
JP-093-1


## Section Drawing




### 88 Sliding System Auxiliary Profiles




**coupling**  
JP-079  
0.38Kg/m




**coupling**  
JP-060  
0.90Kg/m




**coupling**  
JP-121  
0.75Kg/m




**inter lock**  
JP-036  
0.22Kg/m




**inter lock**  
JP-312  
0.28Kg/m




**coupling**  
JP-048  
0.25Kg/m




**sash mullion**  
JP-035  
0.72Kg/m



**screen sash**  
JP-009-2  
0.45Kg/m




**screen sash**  
JP-009-1  
0.48Kg/m




**screen sash**  
JP-074  
0.61Kg/m




**screen sash**  
JP-089  
0.55Kg/m



**screen sash mullion**  
JP-334  
0.43Kg/m  
( fit with JP-009-2 )



**coupling**  
JP-080  
1.19Kg/m




**coupling**  
JP-093-1  
0.85Kg/m

## Structure Drawing




### 88 Sliding System



## Structure Drawing




### 60 Sliding System



## Structure Drawing




### 109 Sliding System




## Structure Drawing

**109 Sliding System**
































A - A


















B - B

## Steel Reinforcement Drawing

 JP-009-1	 JP-009-2	 JP-011	 JP-013	 JP-015 JP-015H
 JP-016 JP-016H	 JP-017 JP-017H	 JP-017-1	 JP-018 JP-018H JP-038 JP-038H	 JP-019 JP-019H
 JP-032-1	 JP-033	 JP-034	 JP-034H	 JP-035
 JP-043	 JP-044	 JP-045-1	 JP-049 JP-060	 JP-050-1 JP-050-1T
 JP-051	 JP-074	 JP-089	 JP-093-1	 JP-102
 JP-080	 JP-111 JP-111T		 JP-130	 JP-135-1
	 JP-135 JP-135H	 JP-136 JP-136H	 JP-137 JP-137H	 JP-142/JP-143 JP-112T/JP-113T
 JP-147 JP-147H	 JP-163	 JP-167	 JP-171 JP-172	 JP-195

## Steel Reinforcement Drawing

 JP-202-1 JP-202-1T JP-203-1 JP-203-1T JP-204-1 JP-204-1T	 JP-212 JP-213	 JP-219	 JP-220	 JP-220-1
 JP-221T JP-221H	 JP-222T	 JP-230	 JP-246H	 JP-298H
 JP-326M	 JP-327M	 JP-328M	 JP-331H	 JP-332
 JP-333	 JP-334			

## Window calculation



### 60 Outward window (thickness 2.0mm)

		Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)	
900	600	Frame	JP-017	1506	1506	6.024	1.000	6.020	
1500		Mullion	JP-019		1462	1.462	1.020	1.490	
		Sash	JP-015	564	1442	4.012	1.150	4.610	
GB	JP-023-1	842	1420	4.524	0.195	0.880			
		438	1316	3.508	0.195	0.680			
Kg/window					13.680				
<b>m<sup>2</sup>/T</b>					<b>164.47</b>				

### 60 Inward window (thickness 2.0mm)

		Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)	
1500	600	Frame	JP-017	1506	1506	6.024	1.000	6.020	
1500		Mullion	JP-019		1462	1.462	1.020	1.490	
		Sash	JP-016	564	1442	4.012	1.080	4.330	
GB	JP-023-1	842	1420	4.524	0.195	0.880			
		452	1330	3.564	0.195	0.690			
Kg/window					13.410				
<b>m<sup>2</sup>/T</b>					<b>167.78</b>				

### 60 Outward door (thickness 2.0mm)

		Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)	
900	1450	Frame	JP-017	906	2106	6.024	1.000	6.020	
650		Mullion	JP-019	706		0.706	1.020	0.720	
		Sash	JP-018	842	2042	5.768	1.500	8.652	
Door panel	JP-020-1			490	2.450	0.710	1.740		
		JP-023-1		628	1296	3.848	0.195	0.750	
GB	JP-021-1	628		496	2.248	0.240	0.540		
		JP-021-1							
Kg/window					18.420				
<b>m<sup>2</sup>/T</b>					<b>102.58</b>				

## Window calculation



### 60H Inward door (thickness 2.5mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)		
	Frame	JP-017H	906	2406	6.624	1.090	7.220		
	Mullion	JP-019H	862		0.862	1.130	0.970		
	Sash	JP-038H	842	1964	5.612	1.680	9.430		
	GB	JP-023-1	820	342	2.324	0.195	0.450		
			664	1986	4.900	0.195	0.960		
Kg/window							19.030		
<b>m<sup>2</sup>/T</b>							<b>113.50</b>		

### 66 Inward window (thickness 2.5mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)		
	Frame	JP-135	1506	1506	6.024	1.260	7.590		
	Mullion	JP-136		1462	1.462	1.450	2.120		
	Sash	JP-137	564	1442	4.012	1.370	5.500		
	GB	JP-166	842	1420	4.524	0.250	1.130		
			446	1148	3.188	0.250	0.800		
Kg/window							17.140		
<b>m<sup>2</sup>/T</b>							<b>131.23</b>		

### 70M Inward window (thickness 2.8mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)		
	Frame	JP-326M	1506	1506	6	1.480	8.920		
	Mullion	JP-327M		1452	1.452	1.640	2.380		
	Sash	JP-328M	549	1422	3.942	1.720	6.780		
	GB	JP-329	433	1296	3.458	0.200	0.690		
			827	1400	4.454	0.200	0.890		
Kg/window							19.660		
<b>m<sup>2</sup>/T</b>							<b>114.42</b>		

## Window calculation



### 80 Sliding window (thickness 2.0mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)		
	Frame	JP-111	1506	1006	5.024	1.170	5.880		
	Fixed frame	JP-142	1506	504	4.020	1.010	4.060		
	Sash	JP-050-1	745	924	6.676	0.720	4.810		
	Screen	JP-089	750	916	3.332	0.550	1.830		
	Coupling	JP-010	1500		1.500	0.350	0.530		
	GB	JP-007	1432	430	3.724	0.130	0.480		
			651	830	2.962	0.013	0.390		
<b>Kg/window</b>				17.980					
<b>m<sup>2</sup>/T</b>				<b>125.15</b>					

### 88T Sliding window (thickness 2.2mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)
	Frame	JP-202-1T	1506	1506	6.024	1.400	8.430
	Sash	JP-222T	743	1420	8.652	0.900	7.790
	Screen	JP-009-1	748	1414	4.324	0.480	2.080
	Inter lock	JP-036		2828	0.220	0.620	0.124
	GB	JP-223	748	1326	8.296	0.145	1.200
	<b>Kg/window</b>				19.620		
<b>m<sup>2</sup>/T</b>				<b>114.68</b>			

### 109 Sliding door (thickness 2.5mm)

	Name	Code	W	H	Length(m)	Kg/m	Weight(Kg)
	Frame	JP-246H	2006	1806	7.624	1.720	13.110
	Sash	JP-331H	682	1722	14.427	1.280	18.470
	Inter lock	JP-312		1720	10.320	0.280	2.890
	GB	JP-007	538	1578	12.699	0.130	1.650
	<b>Kg/window</b>				36.120		
<b>m<sup>2</sup>/T</b>				<b>99.7</b>			

## I&E value and Kg/m list



Name	Code	Kg/m	Pack	I(mm <sup>4</sup> )	E(mm)
<b>60 casement system (thickness 2.0mm)</b>					
sash	JP-015	1.15	6	285370	39.67
sash	JP-016	1.08	6	226647	36.29
frame	JP-017	1.00	6	175220	33.94
frame	JP-017-1	1.13	6	248863	38.01
sash	JP-018	1.50	5	753994	52.90
mullion	JP-019	1.02	6	218172	36.00
sash	JP-038	1.45	4	748610	52.89
Z mullion	JP-147	1.01	6	224659	36.00
<b>60H casement system (thickness 2.5mm)</b>					
sash	JP-015H	1.25	6	314457	39.98
sash	JP-016H	1.18	6	229199	36.30
frame	JP-017H	1.09	6	186230	33.65
sash	JP-018H	1.65	5	842101	53.77
mullion	JP-019H	1.13	6	236384	36.00
sash	JP-038H	1.68	4	838762	53.76
Z mullion	JP-147H	1.16	6	237201	36.00
mullion	JP-298H	1.30	6		
<b>60/60H casement system auxiliary profiles</b>					
coupling	JP-013	0.62	8		
panel	JP-020-1	0.71	6		
panel	JP-020-2	0.85	6		
GB31mm	JP-021-1	0.24	32		
GB35mm	JP-022-1	0.27	24		
GB20mm	JP-023-1	0.195	32		
coupling	JP-031-1	0.11	40		
mullion	JP-046	0.69	6		
coupling	JP-049	0.68	8		
coupling	JP-051	0.68	4		
coupling	JP-090	0.53	10		
GB23mm	JP-106	0.20	32		
louver	JP-117	0.28	24		
louver	JP-118	0.22	24		
coupling	JP-130	1.30	6		
GB18mm	JP-181	0.185	32		
frame	JP-195	0.810	6	70527	18
frame GB	JP-196	0.180	30		
coupling	JP-215	0.25	16		

Name	Code	Kg/m	Pack	I(mm <sup>4</sup> )	E(mm)
mullion	JP-220	0.94	6		
mullion	JP-220-1	1.09	6		
<b>66 casement system (thickness 2.5mm)</b>					
frame	JP-135	1.26	6		
frame	JP-135-1	1.34	6		
mullion	JP-136	1.45	6		
sash	JP-137	1.37	6		
sash	JP-212	1.79	4		
sash	JP-213	1.73	4		
<b>66H casement system (thickness 2.5mm)</b>					
frame	JP-135H	1.36	6		
mullion	JP-136H	1.54	6		
sash	JP-137H	1.45	6		
<b>66/66H casement system auxiliary profiles</b>					
coupling	JP-031-1	0.11	40		
pad	JP-138	0.20	24		
GB10mm	JP-139	0.19	30		
GB10mm	JP-140	0.20	30		
coupling	JP-163	0.96	4		
GB25mm	JP-166	0.25	24		
coupling	JP-167	0.70	8		
coupling	JP-214	0.58	10		
coupling	JP-219	0.95	6		
<b>70M casement system (thickness 2.8mm)</b>					
frame	JP-326M	1.48	6	356783	40.50
mullion	JP-327M	1.64	6	463924	43.00
sash	JP-328M	1.72	6	432082	41.30
<b>70M casement system auxiliary profiles</b>					
coupling	JP-031-1	0.11	40		
GB15mm	JP-329	0.20	30		
GB22mm	JP-330	0.235	30		
coupling	JP-332	0.66	8		
coupling	JP-333	1.03	4		

## I&E value and Kg/m list



Name	Code	Kg/m	Pack	I(mm <sup>4</sup> )	E(mm)	Name	Code	Kg/m	Pack	I(mm <sup>4</sup> )	E(mm)
<b>80 sliding system (thickness 2.0mm)</b>											
sash	JP-050-1	0.72	10	132309	33.95	frame	JP-202-1T	1.40	6	230122	27.80
frame	JP-111	1.17	6	198157	26.30	frame	JP-203-1T	1.16	6		
frame	JP-142	1.01	6	124490	30.60	mullion	JP-204-1T	1.27	6		
mullion	JP-143	1.04	6	177856	33.00	frame	JP-221T	1.03	6	180171	27.64
frame	JP-230	1.30	6	198157	26.30	sash	JP-222T	0.90	10	149148	34.30
<b>80T sliding system (thickness 2.2mm)</b>											
sash	JP-050-1T	0.82	10	135274	34.03	sash	JP-034H	1.20	8	377090	45.17
frame	JP-142T	1.06	6			frame	JP-221H	1.07	6	210644	27.50
mullion	JP-143T	1.11	6			frame	JP-246H	1.72	4	262648	26.00
frame	JP-111T	1.29	6	199745	26.21	sash	JP-331H	1.31	6	505576	49.39
<b>80 low sliding system (thickness 2.0mm)</b>											
frame	JP-044	1.10	6	150821	22.92	GB7mm	JP-007	0.13	40		
sash	JP-045-1	0.69	10	109401	30.57	screen	JP-009-1	0.48	16		
frame	JP-102	0.84	8	102773	23.91	screen	JP-009-2	0.45	16		
<b>80/80T sliding system auxiliary profiles</b>											
GB19mm	JP-006	0.19	32			mullion	JP-035	0.72	12	118404	32.00
GB7mm	JP-007	0.13	40			inter lock	JP-036	0.22	24		
screen	JP-009-1	0.48	16			GB25mm	JP-037	0.21	32		
coupling	JP-010	0.35	16			coupling	JP-048	0.25	20		
coupling	JP-011	0.92	4			coupling	JP-060	0.90	8		
coupling	JP-043	0.80	8			GB12mm	JP-067	0.155	40		
inter lock	JP-061	0.20	24			screen	JP-074	0.61	9		
GB12mm	JP-067	0.155	40			coupling	JP-079	0.38	16		
sash joint	JP-068	0.225	20			coupling	JP-080	1.19	4		
screen	JP-089	0.55	12			screen	JP-089	0.55	12		
coupling	JP-092	0.78	8			coupling	JP-093-1	0.85	6		
coupling	JP-093-1	0.85	6			coupling	JP-121	0.75	8		
GB10mm	JP-223	0.145	40			GB10mm	JP-223	0.145	40		
<b>88 sliding system (thickness 2.0mm)</b>											
frame	JP-032-1	1.05	6	192635	29.72	inter lock	JP-312	0.28	20		
sash	JP-033	0.91	10	201485	37.55	mullion	JP-334	0.43	10		
frame	JP-202-1	1.33	6	226947	27.80						
frame	JP-203-1	1.09	6	153168	31.40						
mullion	JP-204-1	1.17	6	238530	35.00						
sash	JP-034	1.01	8	345642	45.49						